Date of publication xxxx 00, 0000, date of current version xxxx 00, 0000. Digital Object Identifier 10.1109/ACCESS.2017.DOI

Analyzing the Users' Acceptance of an IoT Cloud Platform using the UTAUT/TAM Model

ANTONIO ROBLES-GÓMEZ¹, (Senior Member, IEEE), LLANOS TOBARRA¹, (Senior Member, IEEE), RAFAEL PASTOR-VARGAS¹, (Senior Member, IEEE), ROBERTO HERNÁNDEZ¹, (Senior Member, IEEE), AND JUAN M. HAUT¹, (Senior Member, IEEE)

¹Departamento de Sistemas de Comunicación y Control, Escuela Técnica Superior de Ingeniería Informática, Universidad Nacional de Educación a Distancia (UNED), Calle Juan del Rosal 16, Madrid 28040, España.

Corresponding author: Antonio Robles-Gómez (e-mail: arobles@scc.uned.es).

Authors would like to acknowledge the support of the eNMoLabs research project, the CiberGID UNED innovation group with the CiberScratch project, the I4Labs UNED research group and the E-Madrid-CM Network of Excellence (S2018/TCS-4307). The authors also acknowledge the support of SNOLA, officially recognized Thematic Network of Excellence (RED2018-102725-T) by the Spanish Ministry of Science, Innovation and Universities.

ABSTRACT The instructional design of meaningful experimental activities completely integrated into online Engineering courses is still a significant challenge, by following the sustainable development goal of the United Nations for quality education, the SDG number 4. Remote and virtual laboratories can be a solution to improve this design in distance methodology. This fact has been more noticeable during the COVID-19 pandemic and its consequences with respect to education. Its transparent integration into the learning process and the inclusion of learning analytic features are essential features of these kinds of technologies. Without them, lecturers cannot track the performance and the satisfaction of their students. Our LoT@UNED (Laboratory-of-Things@UNED) platform has been implemented to include all these educational features for IoT environments, ranging from edge to cloud computing. Taking the advantages of the IoT paradigm, this platform involves acquiring practical competences within IoT and edge-cloud programming topics, among others. Furthermore, its flexibility allows us to host other areas, such as cybersecurity. Specifically, our platform incorporates a set of sustainable capabilities (scalability, availability, and security), so contributing to the SDG 4 challenge with a low-complex and efficient solution for quality distance education. To analyze the impact of our proposed solution, this work also focuses on studying the influence among several acceptance UTAUT/TAM factors during the students' learning and teaching process. To achieve this goal, both exploratory and confirmatory analyses have been conducted. The reliability and validity of data are also analyzed. An improved structural equation model has also been studied, satisfying several statistical indicators according to the recommended thresholds in the current literature. The usefulness of our platform, easing the users' attitude and having a high availability of resources affect positively the intention of use our IoT cloud solution and, as a consequence, the great quality of the education process.

INDEX TERMS Cloud computing, distance education, Sustainable Development Goals (SDGs), evaluation, IoT learning environments, SEM, UTAUT/TAM models.

I. INTRODUCTION

THE achievement of high quality of education, enhanced with modern technologies, can promote developing a better digital society. Moreover, the generated new knowledge in people enrolled into official regulated learning processes and vocal education and training will also contribute to the growth of the economy and employment of society. According to these principles, our work is mainly aligned with several Sustainable Development Goals (SDGs), as the SDG 4 for quality education is [1].

Internet revolution in combination with emerging technologies for different purposes is transforming our daily life. This network can be seen as a global network with plenty of devices communicated among them to perform some actions. These nodes interact across heterogeneous hardware and software platforms by including dedicated and embedded devices [2]. This way, it is possible to create scalable network environments flexibly. Physical nodes can be composed of sensors and actuators, managed by one or several control units, whereas software elements define virtualized nodes. Open standards are usually employed in this complex heterogeneous ecosystem, known as the Internet of Things (IoT) [3].

This research topic is becoming a real challenge in many academic and industrial disciplines [4]. For instance, solutions for multiple fields of application are being proposed and experimented, such as e-health for people monitoring [5], customized health-care [6], or biosensors-based environments [7], [8]. Other fields of research are those related to smart cities for traffic control [9], intelligent transport systems for security threats [10], or the vehicle industry [11], [12], among others. Smart agriculture is another growing framework where IoT solutions are developed for efficiency and safety purposes [13]–[15]. Data science can also be involved in IoT environments in this and other contexts [16].

In addition to this, several cloud providers are already supporting IoT integration in the cloud, in order to manage and analyze the generated data, developing and deploying IoT applications for monitoring, visualisation, research, decisionmaking and real-time action in the cloud [17]. These are known as IoT cloud platforms. A comparative study about these are given in [18], such as IBM Watson IoT, Amazon AWS IoT, Microsoft Azure IoT, or Google Cloud IoT [19].

These modern disruptive technologies will help us to address SDG4 (Quality Education). Since students are not physically present for their learning/teaching process, educators must provide new methods and tools to them during this process. Remote-virtual equipment to facilitate the necessary skills for professional education must be provided and minimise dropouts. This fact has particular relevance in the case of Engineering since practical activities are needed to acquire the required competencies by acquiring a digital culture. This culture will be essential in their future job positions as Engineers to ease society's quality of life and be fundamental for the business development of Industry 4.0. The evident need to improve the quality of online education with modern cloud and IoT technologies is even more obvious with the experienced COVID-19 pandemic.

This way, we propose LoT@UNED (Laboratory-of-Things@UNED), a novel approach since students can perform experiments with real IoT low-cost devices and learn the employment of cloud services simultaneously. Students can also work in several layers from a full-cycle development (edge, fog, cloud). Additionally, the LoT@UNED platform incorporates a set of sustainable capabilities (scalability, availability, security), which are not present in other approaches together. Protocol IoT programming is also feasible with a set of sensors and devices, virtualized devices and Docker-containers. It is also possible to analyze visually the availability of network resources for quality of service purposes. These features are detailed in the state of the next Section.

Our proposal also considers privacy aspects for the collected data with the GDPR regulation [20] from European Union. The IoT and cloud technologies help us improve the sustainability of the teaching/learning process and promote the quality of education. Students can also work in several layers or levels for a full-cycle development of an IoT solution. LoT@UNED has been incorporated as part of the instructional design of a Cybersecurity subject with a distance methodology.

Secondly, a set of students' acceptance factors (performance expectancy, effort expectancy, attitude, social influence, facilitating conditions and intention to use) are studied. The outcome factor is the intention to use the platform for other contexts. A new Structural Equation Model (SEM) is analyzed and statistically validated using the UTAUT methodology [21], as a core of our proposed SEM models. Before this, an exploratory data analysis has been performed. The reliability and validity of data are also studied. The main novelties of our SEM analyses are the use of UTAUT model with the integration of TAM factors [22], as well as the proposal of a good-fit improved SEM model. UTAUT and TAM, and many of their variations, are well-established models.

Our proposed SEM models are an evolution of UTAUT and TAM approaches by taking advantage of both of them. The main reason for using TAM factors [23] is because of the employment concepts from social psychology. Additionally, UTAUT is a model that incorporates theory for human behavior [24]. An evolved combination of both theories, UTAUT and TAM, is suitable for our purpose of considering technological social psychological aspects. TAM covers the technological point of view and UTAUT the social psychological challenge. Therefore, both are suitable approaches to propose and validate the intentions of individual endusers (in our case, students) to use new technology, such as LoT@UNED. Studies analyzing users' intentions to use IT are actively being conducted with TAM or UTAUT [25]–[29].

This manuscript is organized as follows. Background on previous works existing in the literature is described in Section II. Then, the methodology's details and our initial proposed hypotheses are described in Section III. The LoT@UNED platform is presented in Section IV, and a case of study is described in Section V. Section VI analyzes the obtained results. Finally, some conclusions are provided in Section VII.

II. BACKGROUND

A. VIRTUAL AND REMOTE ENVIRONMENTS

The increasing employment of new technologies could help people in many fields of our society. When it comes to Engineering education, practical learning scenarios become essential to achieve applied skills by spreading critical thinking knowledge. Several previous proposals have appeared in recent years. Traditional virtual remote laboratories for industrial electronics and solar energy were proposed in [30]–[32]. Additionally, the concept of deconstruction of remote laboratories was introduced in [33]. These remote laboratories were evaluated in [34] to check the quality of online courses in Jordan for renewable energy. As main drawbacks, these proposals are only focused on renewable energy laboratories, as well as they do not cover a full-cycle IoT development neither cloud services.

The experiments are also sometimes taken with simulation as a previous step. In the case of [9], authors use a traffic simulator and a travel/activity pattern simulation for the construction of the scenario. In addition to this, a recent proposal can be found in [35], in which authors proposed an emulated virtual laboratory (based on the EVE-NG technology). This approach is also assessed from the point of view of technology acceptance. They are only ad-hoc specific proposals based on simulation and emulation, respectively, not using real devices. These do not cover all the characteristics of our IoT cloud proposal.

A Crowd-Resourcing Virtual Laboratory (CRVL) is also presented in [36], which is composed of a set of virtual machines. Authors propose a mechanism to integrate a particular virtual machine into their platform by including the integrity testing, configuration, etc. The system uses web-sockets for the resource communication, and it takes into account faulttolerance with a secure shell file-system. These proposals employ virtual laboratories, although physical devices are not available for experimentation. In [37], network function virtualization and software-defined networks are also used to adapt remote laboratories to the dynamic users' demands to improve the quality of service of computing resources for smart campuses. It employs virtualization for its purpose.

On the other hand, initial cloud approaches started to be employed for Computer Science Engineering subjects [38], [39]. Distributed computing and cybersecurity approaches have also been a field of study [40], [41], across the way of evolving to an IoT cloud solution. They are ad-hoc proposals for the specific educational context. recent work also studies the acquisition of practical skills and abilities from edge to cloud computing [42] in the filed of the IoT cloud paradigm.

As an additional step, this work presents an improved version of the LoT@UNED platform and a case of study with it over a concrete subject, as well as an exhaustive evaluation from the acceptance technology point of view.Our LoT@UNED platform covers a set of features, which previous works do not achieve jointly, as listed below:

- Functionality (*edge, fog, cloud*). Working on several layers from a full-cycle development of an IoT solution is possible in a flexible way with our proposed LoT@UNED platform, ranging from edge to cloud computing. From our knowledge, there are no other IoT cloud platforms for education covering all layers: edge, fog and cloud.
- **Sustainability** (*scalability*, *availability*, *security*). For management purposes at an infrastructure level, a control engine to provide our IoT cloud solution with sus-

tainability capabilities is designed for scalability, availability and security. This design will allow laboratories to support many students with a high quality provided to users and a robust infrastructure. The laboratories' infrastructure is scalable since it is prepared to support a large number of users at the same time. High availability is also an essential capability of our laboratories in terms of fault tolerance management and latency. Securing the infrastructure which supports laboratories is also relevant since the handled data can be critical, and the platform can suffer malicious attacks. As an example, users must only be able to access their related resources with different access levels. These capabilities will make it possible to have a solution with low complexity and efficiency. From our knowledge, there are no other IoT cloud platforms for education covering these sustainable capabilities simultaneously.

- **Practical IoT experimentation**. Students can perform real experiments with real IoT low-cost devices and learn the employment of cloud services simultaneously. Several practical activities are performed and integrated into our solution for the instructional design of online courses. A case of use is given in this work focused on cybersecurity. Other topics can be distributed applications, cloud computing and data science. Vocational education training courses for applied security or cloud technologies can also be considered in the future.
- **Protocol IoT programming**. This feature implies using the hardware sensors and devices, virtualized devices and Docker-container light services at a network level, and programming specific IoT communication protocols, such as MQTT or COAP, among others.
- Dashboards and Analytic. It is also possible to analyze the availability of resources to support the dynamic assimilation of topological changes without disturbing the quality of service provided to our users. For example, a performance dashboard shows all the information to detect the saturation of resources; if load-balancing algorithms do not work correctly, the low quality of service or the security level of a group of users is different from the expected one, among other actions.

B. ACCEPTANCE MODELS

The study of users' acceptance of modern technology in different contexts is a hot topic in many applications, such as mobile applications, since they are suitable for rapid communication and dissemination of information through the Internet. In [43], authors have studied the acceptance of this type of technology in contact with the digital library. A comprehensive study was also conducted in [44] to evaluate attitudes towards the use of an institutional mobile application. The results showed that both the perceived usefulness and ease of use positively influenced the students' attitudes. Nevertheless, few efforts have been done to analyze the variables influencing chat-bot employment in terms of performance, effort and habits [45].

From the point of view of security in cloud systems, some efforts have also performed. In [46], a hybrid two-stage is proposed and analyzed; with 1) a structural equation modeling, and 2) an artificial neural network model; in order to predict motivators affecting the employment of cloud services for Indian private organizations. In particular, the Technology Organization Environment Model (TOE) is extended with security risks, when employing a cloud technology for the first time.

In addition to this, it is needed to identify the critical success criteria in order to examine structure, reliability and validity of the criteria in the Small and Medium Enterprises (SMEs) industry, some of them are specific of the cloud computing approach [47]. These factors can help organizations with their investments in cloud technology. The identification of critical success factors for the adoption of cloud technologies for business performance through the integration of analytical hierarchical processes and structural mediation models, in terms of trust and perceived security risk, may also become very relevant [48]. These both factors do not have any mediation effect on business performance.

For distance education, it is also quite relevant to study the students' acceptance of a new technology to decide the intention of use it [49], which is integrated into the instructional design of a subject [50]. The Technology Acceptance Model (TAM) [22], [23], as well as a great variety of adaptations and extensions, have been proposed for this purpose. A recent work [51] proposed a structural model based on TAM to explore the acceptance within online learning platforms with virtual laboratories. Additionally, some modifications of TAM have been proposed in order to measure the quality of on-line courses [34], [52]. Another extension of TAM [53] pays attention to the social media influence over the students' satisfaction and their academic performance. The Task-Technology Fit (TTF) theory is used for the improved model [54].

On the other hand, carrying out proposals that extend the original TAM model to study the satisfaction of a technology within e-learning is not a new line of research. Indeed, it has been done for many years, depending on the specific characteristics of the context where learning is being analyzed. In [26], a comprehensive review of these types of TAM models was presented. The core variables used in TAM are the perceived usefulness of a technology, its perceived ease of use, attitude towards using it, and the behavioral intention to use it for further purposes. This last characteristic would imply a high quality of the system. All of them have been included in our study, as detailed below.

Another approach is UTAUT (Unified Theory of Acceptance and Use of Technology) [21]. UTAUT is considered very efficient and has higher explanatory power than other models [55]. Most researchers have used UTAUT to test new technologies with the expected performance and effort as key factors [21]. These both factors correspond to perceived usefulness and ease of use with the TAM theory, respectively. In this sense, the UTAUT methodology is used in [24], in conjunction with traditional TAM factors, to analyse factors that influence users' intentions to employ particular mobile electronic health record systems. Some previous works have already proposed combined extensions for specific learning purposes, such as rural students' acceptance [56] or the students' acceptance of remote-virtual laboratories [35], [57]. UTAUT has also been applied for the students' acceptance when mobile learning is employed [27].

In our particular case, the influence of several acceptance factors during students' learning/teaching process in the cybersecurity context is analyzed. TAM factors are used due to our interest in social psychology concepts [23]. The UTAUT structure with the integration of TAM factors in the model is employed as a starting point since it includes theory for human behavior [24], which analyzes both theories at the same time.

These factors are: i) performance expectancy (perceived usefulness in TAM); ii) effort expectancy (perceived ease of use in TAM); iii) attitude toward the technology; iv) social influence; v) facilitating conditions, and vi) intention of use. A structured experimental method has to be studied with UTAUT/TAM, improved according to our findings for the case of LoT@UNED, and validated from the point of view of both exploratory and confirmatory ways. This way, we will be able to study the intention to use the proposed technology of students.

A first UTAUT model approach was given in [58], which is the basis of the current work. The initial hypotheses have now been studied in deep and redefined here since statistical indicators of the confirmatory analysis did not match all the optimal values in ranges of normality. A deep exploratory data analysis has also been performed as a previous step.

From our knowledge, there are not others works in the literature, which proposes and validate new evolved SEM models from an integrated UTAUT/TAM approach. This work will analyze the intention to use IoT cloud technology within an educational context.

III. RESEARCH FRAMEWORK

This section includes both the overview of the methodology used and the initial hypotheses defined in this work.

A. METHODOLOGY

The research methodology of this work, which belongs to the eNMoLab (efficient Network Management of Laboratories) project, is summarised below. Particularly, it is based on the one described in [42]:

 Technologies to be employed. A set of IoT architectures, cloud providers, network services, and applications have been carefully studied. In particular, the IBM Watson IoT, Amazon AWS IoT, Microsoft Azure IoT, and Google Cloud IoT have been evaluated. As a result, the proposed LoT@UNED platform employs currently several cloud services of IBM Watson IoT [59]. Our objective was to study the most disruptive IoT and cloud technologies,



FIGURE 1: Phases of the instructional design of laboratory activities (description, design, development) and experimentation.

which will be able to have a full-cycle functionality (*edge*, *fog*, *cloud*).

- 2) Previous works. An in-depth literature review has been conducted to study and analyze the existing works related to IoT and Cloud paradigms for several contexts, not only education. Additionally, some works about remote-virtual laboratories and technological acceptance models have also been analyzed. The main databases have been IEEE Xplore, MDPI, and ScienceDirect. We have identified the necessity of proposing an IoT cloud solution for education, ranging from edge to cloud computing, with a set of sustainable capabilities: scalability, availability and security. These capabilities will make it possible to have a solution with low complexity and efficiency. The platform will also allow practical experimentation for any educative context and at network protocol and application levels. No other previous works have been found in the literature will all these features, as detailed in Section II.
- 3) IoT Cloud Platform. The LoT@UNED platform has been developed, deployed and integrated in Engineering subjects considering both the IoT and Cloud paradigms. Its architecture comprises three layers: hardware, cloud IoT services, and visualizations. From our knowledge, there are no other IoT cloud platforms for education covering all aforementioned features. The most relevant technical details are given in Section IV.
- 4) Activities. A set of practical activities have been performed in LoT@UNED. These have been integrated into our platform and incorporated within the instructional design of online courses. The flow of the design follows the guidelines provided by [60]. Figure 1 depicts all the phases, including the description, design, and development of the laboratory activities:
 - *Description*. In this first phase, all educative objectives are planned, the activity description and outcomes are described.
 - *Design*. The belonging elements for the practical activity are selected, and interaction issues are evaluated.
 - *Development*. Some programming tasks are required, services provisioned, and applications developed.

- *Experimentation.* As observed in Figure 1, this phase is the last within the instructional design, which consists of the integration of the activity in the platform and contents, the feedback provided by the users (performance, satisfaction, etc.), and the generated reports of the platforms (logs, accesses, etc.).
- 5) *Evaluation*. For the evaluation of the technology, the method suggested in [61] is followed, which consist on two main steps, once a set of satisfaction data is collected. These are:
 - *Exploratory analysis.* Students' behavior is studied, and the relationship among factors are analyzed. Additionally, the reliability and validity are statistically analyzed. Indeed, validity measures are calculated.
 - *Confirmatory analysis.* A set of hypotheses are first defined, studying how physiological factors are linked. Additionally, a structural model is proposed and examined, including a set of goodness fit indexes, which support the reliability of the proposed technology.

B. INITIAL HYPOTHESES

A set of initial hypotheses among UTAUT/TAM factors are defined, analyzed and validated. Before describing these hypotheses, an evolved combination of UTAUT and TAM is presented (see Figure 2). TAM covers the technological point of view of our IoT cloud solution and the UTAUT theory tackles the social psychological impact from our solution. In addition to this, the hypotheses will be reformulated in the second part of the study for proposing a new specific SEM model. This reformulation will be based on the evaluation process, from both the exploratory and confirmatory points of view. A SEM is a causal relational model in which nodes are the factors and links are the defined hypotheses [62], [63].

Each factor can be either manifest or latent variables. The manifest variable corresponds to each question/item of the survey, whilst the latent one is a set of 3 or 4 manifest variables. In this regard, the SEM model can be represented as a graph. This graph's nodes are the factors, and each link is directed by representing a hypothesis. Additionally, each latent variable can be external or endogenous, which are perceived as a variable with a hypothesis.

The employed factors have been designed following the UTAUT/TAM model defined in [24]. In particular, the following ones have been considered:

- *Performance Expectancy (PE)*. This factor is related to the students' perceived usefulness of the LoT@UNED platform in terms of its performance.
- *Effort Expectancy (EE).* It refers to the students' perceived ease of use of the LoT@UNED platform or the estimated effort to use it.
- *Attitude (A).* This factor describes the students' resistance and their perceived benefits when using the LoT@UNED platform.
- *Social Influence (SI)*. This factor is the students' perception for collaboration with other students when using the

LoT@UNED platform.

IEEE Access⁻

- *Facilitating Conditions (FC)*. This factor is the perceived good availability of resources by students. That is, the ease to access.
- Intention to Use (IU). This factor is related to the students' intention of using the LoT@UNED platform in other subjects if it was possible. Consequently, it measures the quality of the provided resources to students in some manner.

Furthermore, the following initial hypotheses have been defined for the SEM model with the UTAUT methodology as a basis (see Figure 2):

- **H1**. The performance expectancy (PE) of the LoT@UNED platform will positively influence the user attitude (A) towards the technology.
- H2. The effort expectancy (EE) of the LoT@UNED platform will positively influence the user attitude (A) towards the technology.
- H3. The attitude (A) towards the LoT@UNED platform will positively influence the intention to use (IU) the technology.
- **H4**. The social influence (SI) concerning the LoT@UNED platform will positively influence the intention to use (IU) the technology.
- **H5**. The facilitating conditions (FC) of the LoT@UNED platform will positively influence the intention to use (IU) the technology.

IV. THE LOT@UNED PLATFORM

The LoT@UNED platform can be seen as an IoT cloud solution, incorporating several sustainable capabilities (scalability, availability, security), as detailed below. These capabilities allow us to have a very flexible platform to improve the sustainability of the teaching/learning process and promote the quality of education, as stated in SDG4. It also integrates the GDPR European Union Regulation [20] within their workflows. From our knowledge, there are no other proposals, which comprise all these characteristics.



FIGURE 2: UTAUT structure and factors [24]: hypotheses.

LoT@UNED has been incorporated as part of the instructional design of a cybersecurity subject with a distance methodology. Real IoT low-cost devices and cloud scenarios have been used by students. The portal is hosted in [64]. This platform is composed of two main paradigms, i.e., edge and cloud computing. Some examples of possible functionalities are the employment of cloud services, decision-making or predictions over the generated data by sensors. These are a key part of a cloud layer, but with the need of using complex algorithms.

Figure 3 shows the architecture of the LoT@UNED platform, which is composed of 3 components layers:

- 1) *Layer 1: Edge Paradigm.* The layer is composed of sensors and devices (hardware and software), as well as IoT communication protocols (MQTT, COAP ...).
- 2) *Layer 2: Cloud IoT Service Platform.* It includes a set of IoT services in the cloud, such as data storage, analytic tools, and service APIs. A set of web services with high-computation capabilities are employed.
- 3) *Layer 3: Dashboards and Rules*. It implies decision algorithms, dashboards and software applications.

For the laboratory programming tool, Node-RED is used. Node-RED is a visual development tool for programming IoT cloud environments. LoT@UNED employes the MQTT (Message Queuing Telemetry Transport) protocol for managing the data traffic [42]. It is based on the subscription to one or several topics of the MQTT message system: data, sessions, etc. We can distinguish among two types of interaction mechanisms inside IoT laboratories: acquisition sensors and interaction elements. They determine the following phase, where a software context is created. Thus, this part of IoT laboratory is developed in containers, using Docker technology [65], [66].

Each phase is associated with a specific activity that is deployed in a standard way using Docker containers managed through a cluster manager, based on Kubernetes [67]. The manager provides LoT@UNED with sustainability capabilities for the infrastructure in terms of scalability, availability and security. The platform is prepared to support a large number of users for scalability purposes. It also balances the load of use of different devices to support a high availability of network services. Thus, the use of the devices/sensors is assigned in a dynamic way to the students developing the activities. Our platform is also robust and secure. These capabilities make it possible to have a solution with low complexity and efficiency.

LoT@UNED allows the learning/teaching of the full-cycle development of IoT cloud solutions. Our laboratory is implemented with Raspberry PI devices. Figure 4 depicts the Blade Rack [68] of the LoT@UNED platform. In particular, Figure 4a shows a set of unmounted Raspberry PI devices and Figure 4b the mounted blade rack of the LoT@UNED platform. In addition to this, Figure 5 provides a screenshot of the LoT@UNED platform by examining the state and occupation of the Raspberry PI devices, in order to assign IoT

IEEE Access







(a) Devices (unmounted)



(b) Blade rack (mounted)

FIGURE 4: The physical components of the LoT@UNED platform.

resources for the student's activity. A great variety of sensors and actuators can be added to the platform.

Docker containers [65], [66] are used in our IoT cloud solution. Each container, or a set of containers, is assigned to a concrete activity of the student with the needed resources.

	Service		Model	Users
Q	testfirewall	b827eb69aac4	Raspberry_Pi_3	0/1
Q	testfirewall	b827eb3ce401	Raspberry_PL_3	0/1
	testfirewall	b827ebfa5425	Raspberry_PI_3	171
	testfirewall	b827ebb0b188	Raspberry_Pl_3	171
	testfirewall	b827eb117d7b	Raspberry_Pi_3	1/1

FIGURE 5: Booking Raspberry PI devices for a particular activity in LoT@UNED.

DULED

LoT@UNED 📕		Add New Practice	×	tagget as broadgets said	<3 Sign out
Home / My prac	My name :	Liaros Tobarra			
	Id Name Practice :	Freval21		+ Add new teacher's Practice	
	Practice Name :	Frewals			
For	Init Date :	01/02/2021		Anàlisis Forense. Curso 2018-2019 O	
	Finish Date :	31/07/2021		Lianos Tobarra	
in con	Time to Practice :	01:00		Wit Date 10/10/0010 2:00:00	
Te	Pdf:	Examinar Enunciedo_PEC_2Coseparated_1718.pdf		Time to practice 01 : 00 : 00	
	Service :	security v		C Yiew practice	
	Commands :				
	🛛 ta 🖉 Add U	rite infe			
	🖬 dir 🛛 Add U	ri to info			
	🖬 mildir 🛛 Add U	rita infa			
Fite	🗆 ed 🛛 Add U	rt te infe			
	O at Addu	ri te infe			

FIGURE 6: Adding a new activity in LoT@UNED.

Docker provides an ideal abstraction layer that is capable of orchestrating containers, seen as light machines, in addition to a set of services associated with them. LoT@UNED employs Kubernetes [67] to automatically manage a assignation of resources, load-balance, and so on. It has the capacity of re-configuring devices, when a device fails or a new device is added. IoT cloud learning scenarios involve the acquisition of transverse competences. Our platform consists of several layers: 1) direct communication with real low-cost IoT component devices; 2) use of communication protocols from the edge to the cloud computing; 3) processing and visualization of the gathered data. The platform has been incorporated into the distance instructional design of a Cybersecurity subject, as detailed next in the study case. As an example, Figure 6 depicts a screen-shot of LoT@UNED, when creating a new activity in the platform.

V. STUDY CASE

The educative context of our research is focused on the subject "Cybersecurity". This subject, which is taught through distance learning methodology, entails 6 ECTS credits within "Computer Science Engineering" degree. It covers network security principles from a practical approach [69]. The teaching/learning methodology supports the principles of the European Higher Education Area (EHEA). Thus, there is continuous virtual communication among students and lecturers.

The main goal of this subject is focused on the security of information infrastructures from a practical point of view. Due to the distance methodology, this course must adapt the traditional teaching/learning process into a more active virtual attendance and interaction among the learning community. This fact is even more relevant inside UNED's case due to its high number of students per course.

To describe the educational context, we must pay attention towards the main Learning achievements or Outcomes (LOs), detailed next:

- LO1. Understanding the Network Security Management (NSM) model and its associated best practices.
- LO2. Using a range of security open-source utilities oriented towards analyzing network traffic, in order to search intrusions, malfunctions or other kinds of vulner-abilities.
- LO3. Knowing and using the best utilities to generate, monitor, and manipulate network traffic, as well as performing recognition tasks.

Students may acquire these LOs, which related to practical competences o topics of interest, by fulfilling the subject objectives. These objectives are summarized in Table 1. Additionally, this table also correlates the contents of this course with its corresponding objectives and learning outcomes.

Due to the wide range of topics developed inside the course and its nature, the inclusion of practical activities is fundamental. The evaluation of this subject is composed by three practical activities and a theoretical exam. The experiment presented in this work is focused on the second mandatory practical activity. The main objective of this activity is the configuration of a firewall in order to protect a system following the security requirements of the scenario. During this activity the student work the following Topics (T):

• **T1-Security principles**. Students must take into account the basic security principles, such as minimum

privileges, in order to design a security access policy to the protected network in the described scenario.

- **T3-Logical security**. Students must analyse the presented scenario and they should determine the relevant role of the security policy under that circumstances.
- **T6-Cybersecurity policies**. As it is mentioned in the previous item, students must define a security policy that satisfies the objective proposed in the described scenario.
- **T7-Firewalls**. The main security countermeasure implemented in the scenario is a firewall. The firewall should be configure by students in order to accomplish with the designed security policy of network access.

Our proposed laboratory is flexible enough to host different scenarios where the student can accomplish all the previously described objectives. Thus, the student can perform the configuration of firewalls activity following the the methodology of Plan-Do-Check-Act (PDCA), recommended by ISO 27001. Thus, the student should perform the following steps:

- First, at the Plan phase, they must comprehend the activity objectives and search the needed improvement in the proposed scenario from the Cybersecurity point of view. This way, a security policy in a firewall must be designed by students in a flexible way.
- 2) Afterwards, in the Do phase, the designed policy has to be applied into the real firewall with configuration rules inside LoT@UNED. The platform provides a full controlled environment where lecturer can tackle the activity development (see Figure 7).
- 3) In the Check phase, the student must check that both the described policy and its implementation are in line with the objectives proposed in the scenario. Again, this procedure takes place inside the LoT@UNED platform, with the tracking of the course lecturers.
- 4) Finally, once the three previous phases are over, the Act phase is oriented towards learn from the experience. In order to fulfill this goal, students have to report their experience and make their own conclusions. This report is assessed, that offers feedback about it.

Students are provided with several resources that help them to successfully solve the activity:

• A PDF context guide for the case of study and the proposed Cybersecurity tools used inside the activity.

)							Logged an I	lase
	Home / My practices	/ Student practices						
	н•	Name Practice	Service	Date Init	Date Finish	Email		
	4	Forensic Analysis	testforense	5/11/2016 1:00:00	10/1/2018 1:00:00	Tanos@scc.uned.es	- B	•
	2	Vulnerabilitys	teatrimap	10/11/2016 0:00:00	10/1/2010 1:00:00	lanos@scc.uned.es	- B	•
	3	Anàlisis Forense. Curso 2018-2019	AFor1819	18/10/2018 2:00:00	20/1/2019 1:00:00	lanos@socured.es		•
	4	Finewall	testfirewall	10/11/2016 0:00:00	10/1/2010 1:00:00	fanos@scc.uned.es	18.1	•
	Show 10 v entries					Search:		
								٠
	4	alumno.und	rd.es 6/3/2018 12:	14:34 6/3/2018 12:	14:57 b827ebfs	6425		
	2	alumno.und	ed.es 6/3/2018 12:	15:10 6/3/2018 12:	15:52 b827ebfs	5425		
	3	3alumno.un	ed.es 7/3/2018 10:	28:10 7/3/2018 10:	41:37 b827eb11	7d7b		

FIGURE 7: Faculty's view for tracking students' activity. Email accounts are obfuscated for privacy issues.

LOs	Objective	Торіс
	O1-Understanding the relevance Cybersecurity as a de-	T1-Security principles.
	sign criterion in any Information Technology System.	
	O2-Understanding the most common current problems of	T1-Security principles, T2- Net-
	lack of Cybersecurity in Information Systems, applica- tions and networks.	work device security, T3-Logical security.
	O3-Describing and classify the most likely attacks inside Information systems, applications and networks.	T4-Attack methods against network and hosts.
LO1	O4-Understanding the necessity of implementing a Cy-	T2-Network Device security, T3-
	bersecurity policies in organizations.	Logical security.
	O5-Recognizing the importance for organizations of	T6-Cybersecurity Policies.
	compliance of the Cybersecurity related laws, such as	
	GDPR.	
	O6-Understanding the relevance of a good Cybersecurity	T6-Cybersecurity Policies.
	Management System implementation, by following the	
	good practices of several international standards, ISO /	
	IEC 27001 and ISO / IEC 27002.	
	O/-Implementation basic Cybersecurity countermea-	15-Basic defense measures.
	Sures in a proposed scenario.	T5 Basic defense measures
	scenarios, and associated systems and data.	13-Dasie defense measures.
LO2	O9-Use of Cybersecurity vulnerability scanners and in-	T9-Vulnerability analysis.
	terpretation of their outputs.	
	O10-Being able to describe an access policy and its	T7-Firewalls.
	implementation using firewalls.	
	O11-Selection and configuration of intrusion detection	T8-Intrusion Detection Systems
	systems (IDS) inside Cybersecurity policy.	(IDS).
	O12-Be able of perform a basic analysis of network	T10-Secure network design.
	traffic using open source tools and sniffers.	
LO3	O13-Describing mechanisms for the suitable implemen-	T10-Secure network design.
	tation of a Cybersecurity policies.	

TABLE 1: Correspondence among	Learning Outcomes	(LOs). Objectives	(O) and Topics (T) for the C	vbersecuritv	subiect
				,	,	

- Several video-lessons that explains theoretical and practical concepts related with Cybersecurity policies, its implementation with firewalls and ISO 27001 methodology.
- Forums and chats, so they can interact among students or with the course lecturers. These communications tools promotes debate about different approaches to the proposed scenario.

VI. RESULTS

A. DATA COLLECTION

Students were asked their opinion about performing the proposed activity with LoT@UNED, and their general experience in terms of considered factors, i.e. performance expectancy, effort expectancy, user attitude, social influence, facilitating conditions, and intention of use. Each statement of the survey was a five-point liker-type scale, ranging from (1) "strongly disagree" to (5) "strongly agree". The format of this questionnaire is based on the UTAUT methodology [21], [24].

The LoT@UNED platform has been employed for a practical activity related to firewalls, which is integrated in the instructional design of this subject. It was mandatory to pass the subject. The questionnaires were distributed among 129 students who finished this activity in 2018. A total of 246 students were enrolled in this subject. The sample size is enough for our purposes since opinions frequently repeat after a low number of questionnaires. An analysis of the reliability and validity of data has also been performed to check data goodness.

The data were analyzed using Python 3 and IBM SPSS Statistics 25 for the exploratory data analysis, as well as IBM SPSS Amos 25 Graphics for the confirmatory analysis, composed by the establishment of a SEM model, studying the defined hypotheses and validating a set of statistical indicators. An improved new SEM model and additional hypotheses, which are based on the studied factors and initial hypotheses, has been analyzed and validated in a satisfactory way, as detailed in the second part of the study. The employed algorithm for the discrepancy among factors and co-variances when calculating SEMs has been maximum likelihood.



FIGURE 8: Comparison between the performance expectancy (perceived usefulness) and attitude of students with respect to the intention of use the LoT@UNED platform.

B. EXPLORATORY DATA ANALYSIS

In this exploratory analysis, we will compare how the technology proposed in this work (i.e., LoT@UNED) affects the intention to use it. It is noteworthy that this is the objective and exogenous factor with the UTAUT model. This factor determines the good perception of the user about the quality of the employed technology. The comparison is made in several steps, as detailed below.

Figure 8 compares the performance expectancy (the perceived utility of the technology), the users' attitude towards the new technology to be used, and the intention to use it in the future, in case the possibility arises for other subjects with practical activities. The y-axis represents the percentage of users who have valued these factors, whilst the x-axis represents the specific value answered in percentage. The scale is five-point Likert-scale: strong disagree (1), disagree (2), neutral (3), agree (4) and strong agree (5). These factors involve the H1 and H3 hypotheses.

As it can be observed in Figure 8, the three factors compared have similar increasing behavior. This behvior implies that most of the answers have been quite satisfactory (agree or strong agree) concerning the system's expected performance, the users' attitude is very positive, and the intention of using the platform for other purposes. The main difference between these factors lies in the performance expectancy (usefulness of the system). Some users who strongly agree with respect to their attitude and intention of use only agree with the system's usefulness. This issue is not unusual, since the LoT@UNED platform is constantly evolving, so the improvements proposed by users will be taken into account, both from the point of view of interface and the platform's operation.

As for accumulated results, over the 78% of the respondents were agree or strong agree with respect to the performance expectancy of the technology. These results are similar to the user attitude in terms of percentage, being always over the 78%. Nevertheless, the intention to use the LoT@UNED is a bit lower, since the 73% of the respondents



FIGURE 9: Comparison between the effort expectancy (perceived ease of use) and attitude of students with respect to the intention of use the LoT@UNED platform.

answered the agree or strong agree options.

In addition to this, Figure 9 compares the factors of effort expectancy (perceived ease of use), the users' attitude towards LoT@UNED and the intention to use it in the future. Once more, the y-axis represents the percentage of users who have valued these factors, while the x-axis represents the specific value answered in percentage. In this case, most of the answers have also been quite satisfactory, and the three factors are very similar. In particular, the 76% of the respondents were agree or strong agree with the effort expectancy. The H2 hypothesis is the affection among this factor and the intention to use the technology.

On the other hand, Figure 10 shows in a comparative way the social influence and intention of use the LoT@UNED platform, as well as the facilitating conditions taking into account the use intention. The evolution of the compared factors is certainly different. The social influence is more neutral (see Figure 10a), since the practical activities in the LoT@UNED platform are individual. The facilitating access is more relevant (Figure 10b), users agree with the ease of access to LoT@UNED, but not totally agree. In particular, the 52% of the respondents were agree or strong agree with the social influence over the employed technology, and the 54% of the participants agree or strong agree with respect to the facilitating conditions of the technology. These factors are linked to the intention to use it with the H4 and H5 hypotheses, respectively.

On the other hand, Figure 11 provides the mean, median and standard deviation values for the different factors. Firstly, the mean values for all factors with a five-point Liker-scale are quite good. Most of them range from 3.93 to 4.13, with the exceptions of the social influence (with a value of 3.67) and the facilitating conditions (with a value of 3.40). The median values are slightly higher when comparing to the mean values, whilst the standard deviation values are over or lower than one. Thus the provided data are very reliable. Additional parameters for this data are studied in [42].

50 Social Influence Facilitating Conditions Intention to Use Intention to Use 40 40 30 Percentage 05 Percentage 20 10 10 0 0 Strong Disagree Disagree Neutral Aaree Strong Agree Strong Disagree Disagree Neutral Aaree Strong Agree Five-point Likert Scale Five-point Likert Scale

(a) Social influence versus intention of use



IEEE Access

FIGURE 10: Comparison between the social influence and facilitating conditions with respect to the intention of use the LoT@UNED platform.



FIGURE 11: Mean, median, and standard deviation values for the measured factors (PE, EE, A, SI, FC, IU).

C. RELIABILITY AND VALIDITY

In order to perform a confirmatory factor analysis is very important to check the reliability and validity of the collected data in a statistical way. In this sense, Table 2 shows a set of psychometric characteristics. These values will complement the exploratory analysis performed above and corroborate data in ranges of normality. Remind that the considered UTAUT/TAM factors are performance expectancy, effort expectancy, attitude, social influence, facilitating conditions, and intention to use.

To analyze the correctness of collected data, Kurtosis and Asymmetry parameters have been calculated for each factor as observed in Table 2. The first indicator, Kurtosis, specifies the concentration of data for each factor around the average value, which would be the central point. In our particular case, this parameter is positive in four factors (data tends to the right side of the average value), whereas it is negative in the other two ones (data tends to the left side of the average value). For all factors, data distribution is near the central

Kurtosis Asymmetry Cronbach's *HTMT*_I

	Kurtosis	Asymmetry	Cronbach's	$HTMT_{IU}$
			Alpha	
PE	0.96	-0.95	0.88	0.78
EE	0.15	-0.96	0.89	0.65
Α	0.43	-0.93	0.87	0.86
SI	-0.92	0.21	0.89	0.62
FC	-0.04	-0.27	0.90	0.84
IU	0.01	-0.96	0.88	-

TABLE 3: Covariance matrix among factors.

	PE	EE	Α	SI	FC	IU
PE	0.758	0.495	0.633	0.425	0.341	0.626
EE	*	0.908	0.519	0.398	0.394	0.593
Α	*	*	0.800	0.437	0.387	0.717
SI	*	*	*	0.629	0.291	0.450
FC	*	*	*	*	0.504	0.396
IU	*	*	*	*	*	1.089

point, not being very scattered. Asymmetry can be seen as the degree of symmetry for each factor with respect to the horizontal data distribution. Data tends to be a bit oriented to the left side for five factors with a consistent distribution.

On the other hand, the six associated factors related to the behavioral intention to use the LoT@UNED platform in the Cybersecurity subject have a Cronbach's alpha reliability coefficient of 0.902, when standardized elements with a value of 0.904. Additionally, the factors loading of Cronbach's alpha must be at least 0.70 or greater [27], [61]. Our six factors satisfy this premise, ranging from 0.87 to 0.90 (see Table 2). These values are considered as more than acceptable and reliable, by considering the literature [27], [42], [63].

The validity of factors has also been assessed. For the convergent validity, the AVE (Average Variance Extracted) values obtained for each of the six factors, all of them are higher than 0.50. Thus, validity is suitable [27], [70].

	PE	EE	Α	SI	FC	IU
PE	1	0.597	0.813	0.615	0.552	0.689
EE	*	1	0.609	0.527	0.582	0.597
Α	*	*	1	0.616	0.610	0.768
SI	*	*	*	1	0.517	0.543
FC	*	*	*	*	1	0.535
IU	*	*	*	*	*	1

TABLE 4: Correlation matrix among factors.

In addition to this, the Heterotrait-Monotrait ratio of correlations (HTMT) has been calculated for the outcome IU factor concerning the rest of the factors (see Table 2). The HTMT ratio must be less than 1.00 [71], [72]. Our $HTMT_{IU}$ ratios satisfy this premise. For the discriminant validity analysis, Table 3 also summarizes the co-variance matrix among all factors, whereas Table 4 summarizes the correlation matrix among them. These are in ranges of reliable normality. To sum up, it can be concluded that collected data are consistent, reliable and valid to perform a further confirmatory factor analysis [27], [73].

D. VALIDATING THE INITIAL SEM MODEL

The original hypotheses of the initial SEM model have been defined in 2, considering the H1, H2, H3, H4 and H5 hypotheses described above. Figure 12 represents the influence among these hypotheses. On the one hand, H1 shows that the students' performance expectancy (perceived usefulness) of the LoT@UNED platform clearly influences the students' attitude with a value of 0.76. This attitude also greatly influences the students' intention to use the platform (H3=0.68). There are strong links among these three factors, as expected from the exploratory analysis. As concluded in [74], the perceived usefulness is a key factor in the behavioral intention to use a system. In our case, indirectly, through the attitude toward the technology.

On the other hand, the effort expectancy (ease of use) of



FIGURE 12: Validation of the SEM model for LoT@UNED with the UTAUT/TAM factors [24].

students does not significantly influence the attitude (H2) with a value of 0.21. In a similar line, neither social influence nor facilitating access affect directly the intention of using the platform (H4 and H5), with the values of 0.11 and 0.10, respectively.

The Chi-square value is 216.112, and its relationship with the degree of freedom is 21.611. Both the goodness and comparative fit indexes are 0.596. The root mean square error of approximation is 0.401.

SEM-AMOS is also a useful tool to statistically analyze a set of fitting results when performing a Confirmatory Factor Analysis (CFA), in order to check its validity, consistency, and reliability [34], [57], [75]. Several goodness of fit strategies must be analyzed, such as Chi-square (χ^2), Chi-square / Degree Freedom (χ^2 /DF), Comparative Fit Index (CFI), Goodness of Fit Index (GFI), Normed Fit Indices (NFI), Relative Fit Indices (RFI), Incremental Fit Indices (IFI), Tucker-Lewis coefficients (TLI), Adjusted Goodness of Fit Index (AGFI), Root Mean square Residuals (RMR) and Root Mean Square Errors of Approximation (RMSEA). Recommended cut of and threshold values for fit indexed are detailed in the literature [46], [53], [73], [76]. These recommended values will be detailed below.

Table 5 summarizes the goodness of fit indicators used to evaluate the initial SEM model using the UTAUT/TAM factors. The Chi-square value is 216.112, and its relationship with the degree of freedom is 21.611, which is not optimal. The goodness fit indexes (CFI, GFI, NFI, RFI, IFI, TLI) are not good since they are by far lower than 0.90. Even some studies indicate that these values should be higher than 0.95. Only the AGFI indicator is acceptable with a value of 0.151, higher than 0.09. Additionally, neither RMR nor RMSEA are optimal. For this reason, it is necessary to search for an improved SEM model which satisfies these statistical indicators.

E. PROPOSING A NEW SEM MODEL

For the proposition of a new SEM model, a set of hypotheses has been re-defined from [24], [57].

First, we have previously checked that social influence does not affect the intention to use the system. The effort expectancy about the platform for our Engineers is not a problem. Students are more concerned with performance and/or in-depth facilitation conditions.

Therefore, we have removed from our SEM model the previously mentioned factors. Our new proposed SEM model is presented in Figure 13a. The specific hypotheses and their expected influence between the considered factors are then redefined and adapted to our proposed new SEM model as follows:

- H6. The performance expectancy (PE) of the LoT@UNED platform affects the intention to use (IU) it.
- **H7**. The facilitating conditions (FC) of the LoT@UNED platform affects its performance expectancy (PE).

Indicator	Obtained Value	Optimal Value	Satisfied
Chi-square (χ^2)	216.112	>0.5	Yes
Chi-square / Degree Freedom (χ^2 /DF)	21.611	<3	No
Comparative Fit Index (CFI)	0.558	>0.90	No
Goodness of Fit Index (GFI)	0.596	>0.90	No
Normed Fit Index (NFI)	0.551	>0.90	No
Relative Fit Index (RFI)	0.327	>0.90	No
Incremental Fit Index (IFI)	0.563	>0.90	No
Tucker-Lewis Index (TLI)	0.338	>0.90	No
Adjusted Goodness of Fit Index (AGFI)	0.151	>0.09	Yes
Root Mean-square Residuals (RMR)	0.309	Near to zero (Perfect Fit)	No
Root Mean Square Error of Approximation (RMSEA)	0.401	<0.08	No





FIGURE 13: Proposing and validating a new SEM model for LoT@UNED.

• **H8**. The facilitating conditions (FC) of the LoT@UNED platform affects the user attitude (A) towards this platform.

The initial H1 and H3 hypotheses have been maintained within the framework of our proposed SEM model. As observed in Figure 13b, once more, there is a strong influence of the performance expectancy over the attitude toward the proposed technology (H1=0.69) and, indirectly, over the intention of use it for future purposes (H3=0.61). This is quite

similar to the initial SEM model studied above.

For the new H6 hypothesis, there is some direct influence of the performance expectancy with a value of 0.19, although it is not very strong since an attitude factor is very relevant in our study. Furthermore, despite the fact that students' facilitating conditions are not particularly relevant with the intention of use (H7), this factor strongly influences the performance expectancy of LoT@UNED with a value of 0.55. In other words, the ease of access to the technology is significantly related to the students' perceived usefulness.

The H8 hypothesis is also important, as it reflects the affection of the facilitating conditions of LoT@UNED with respect to the students' attitude, with a value of 0.23. That means whether a student thinks that access to the platform is more or less complex, his or her attitude towards it may be more or less negative.

Table 6 shows the statistical indicators which are calculated for this model, in order to check its reliability. As it can be observed, all these values are satisfied. The Chi-square value is optimal, since it is 1.626, and their relationship with the degree of freedom with the same value. Both the CFI and IFI values are 0.998, higher than the threshold of 0.9. Some studies even recommend them with a higher value of 0.95. The rest of goodness fit indicators are optimal and in ranges of normality (GFI=0.994, NFI=0.995, RFI=0.969, TLI=0.988, AGFI=0.937). The RMR indicator is near zero, with a value of 0.013. RMSEA is also very suitable, which is lower than 0.08.

VII. CONCLUSIONS

The manuscript describes first a self-developed platform, named LoT@UNED, which covers several topics of interests, ranging from edge to cloud computing. The most relevant topics are IoT, programming, and security. The flexibility of the platform involves acquiring practical competences of these subjects, by means of a set of remote and virtual laboratories, in an integrated way with the corresponding online courses. The objective is to increment the quality of courses with a distance methodology. The LoT@UNED platform has included a set of sustainable capabilities (scalability,

Indicator	Obtained Value	Optimal Value	Satisfied
Chi-square (χ^2)	1.626	>0.5	Yes
Chi-square / Degree Freedom (χ^2 /DF)	1.626	<3	Yes
Comparative Fit Index (CFI)	0.998	>0.90	Yes
Goodness of Fit Index (GFI)	0.994	>0.90	Yes
Normed Fit Index (NFI)	0.995	>0.90	Yes
Relative Fit Index (RFI)	0.969	>0.90	Yes
Incremental Fit Index (IFI)	0.998	>0.90	Yes
Tucker-Lewis Index (TLI)	0.988	>0.90	Yes
Adjusted Goodness of Fit Index (AGFI)	0.937	>0.09	Yes
Root Mean-square Residuals (RMR)	0.013	Near to zero (Perfect Fit)	Yes
Root Mean Square Error of Approximation (RMSEA)	0.070	<0.080	Yes

availability, security) and supporting data privacy with GDPR to tackle the SDG4 challenge for quality education. The importance of this SDG is great, and it has been increased during the COVID-19 pandemic.

Firstly, an exploratory data analysis has been conducted to study the reliability of the gathered data and perform an initial exploration of the factors that influence the students' behavior when using the LoT@UNED platform in the instructional design of a subject. In this sense, the most relevant UTAUT/TAM factors have been evaluated to analyze the perceptions and quality of the proposed technology.

Secondly, an initial structural equation model is studied to check the impact of IoT cloud technologies on students' signs of progress after following the UTAUT/TAM model. This way, a new set of hypotheses has been appropriately analyzed to check the influence among the explored factors. The reliability and validity of data are also analyzed. Moreover, a set of statistical indicators have been calculated, such as χ^2 , χ^2 /DF, goodness fit indexes (CFI, GFI, NFI, RFI, IFI, TLI, AGFI), RMR, and RMSEA, to evaluate the proposal. Obtained results reveal that the initial SEM model does not satisfy these statistical indicators.

Therefore, a new refined SEM model has been proposed by removing some initial hypotheses and factors and re-defining new hypotheses. The influence among factors with these hypotheses are studied in deep and the statistical indicators are calculated to check the suitability and reliability of the improved model. The obtained results prove that all indicators are now satisfied, reaching optimal values in ranges of the expectancy, which are even better than expected after our initial analysis.

ACKNOWLEDGMENTS

The authors are especially grateful to the UNED's students that took part in the opinion survey.

REFERENCES

 "United Nations. About the Sustainable Development Goals," Available on-line: https://www.un.org/sustainabledevelopment/sustainabledevelopment-goals/, Date of last access: 5th October, 2021.

- [2] G. Kortuem, F. Kawsar, V. Sundramoorthy, and D. Fitton, "Smart objects as building blocks for the internet of things," IEEE Internet Computing, vol. 14, no. 1, pp. 44–51, Jan 2010.
- [3] A. Al-Fuqaha, M. Guizani, M. Mohammadi, M. Aledhari, and M. Ayyash, "Internet of things: A survey on enabling technologies, protocols, and applications," IEEE Communications Surveys Tutorials, vol. 17, no. 4, pp. 2347–2376, Fourthquarter 2015.
- [4] W. Shi, J. Cao, Q. Zhang, Y. Li, and L. Xu, "Edge computing: Vision and challenges," IEEE Internet of Things Journal, vol. 3, no. 5, pp. 637–646, Oct 2016.
- [5] Y. Shaikh, V. K. Parvati, and S. R. Biradar, "Survey of smart healthcare systems using internet of things (iot) : (invited paper)," in 2018 International Conference on Communication, Computing and Internet of Things (IC3IoT), Feb 2018, pp. 508–513.
- [6] J. Qi, P. Yang, G. Min, O. Amft, F. Dong, and L. Xu, "Advanced internet of things for personalised healthcare systems: A survey," Pervasive and Mobile Computing, vol. 41, pp. 132 – 149, 2017. [Online]. Available: http://www.sciencedirect.com/science/article/pii/S1574119217303255
- [7] G. Yang, L. Xie, M. Mäntysalo, X. Zhou, Z. Pang, L. Xu, S. Kao-Walter, Q. Chen, and L.-R. Zheng, "A health-iot platform based on the integration of intelligent packaging, unobtrusive bio-sensor and intelligent medicine box," IEEE Transactions on Industrial Informatics, vol. 10, pp. 1–1, 11 2014.
- [8] A. Mavrogiorgou, A. Kiourtis, K. Perakis, S. Pitsios, and D. Kyriazis, "Iot in healthcare: Achieving interoperability of high-quality data acquired by iot medical devices," Sensors, vol. 19, no. 9, 2019. [Online]. Available: https://www.mdpi.com/1424-8220/19/9/1978
- [9] L. Cruz-Piris, D. Rivera, S. Fernandez, and I. Marsa-Maestre, "Optimized sensor network and multi-agent decision support for smart traffic light management," Sensors, vol. 18, no. 2, 2018. [Online]. Available: https://www.mdpi.com/1424-8220/18/2/435
- [10] M. A. Javed, E. Ben Hamida, and W. Znaidi, "Security in intelligent transport systems for smart cities: From theory to practice," Sensors, vol. 16, no. 6, 2016. [Online]. Available: https://www.mdpi.com/1424-8220/16/6/879
- [11] S. K. Datta, R. P. F. Da Costa, J. Härri, and C. Bonnet, "Integrating connected vehicles in internet of things ecosystems: Challenges and solutions," in 2016 IEEE 17th International Symposium on A World of Wireless, Mobile and Multimedia Networks (WoWMoM), June 2016, pp. 1–6.
- [12] D. Singh and M. Singh, "Internet of vehicles for smart and safe driving," in 2015 International Conference on Connected Vehicles and Expo (ICCVE), Oct 2015, pp. 328–329.
- [13] S. Liu, L. Guo, H. Webb, X. Ya, and X. Chang, "Internet of things monitoring system of modern eco-agriculture based on cloud computing," IEEE Access, vol. 7, pp. 37050–37058, 2019.
- [14] "Gartner Says 5.8 Billion Enterprise and Automotive IoT Endpoints Will Be in Use in 2020," Available on-line: https://www.gartner.com/en/newsroom/press-releases/2019-08-29gartner-says-5-8-billion-enterprise-and-automotive-io, Date of last access: 5th October, 2021.
- [15] "IoT Report: How Internet of Things technology growth is reaching mainstream companies and consumers," Available online:

https://www.businessinsider.com/internet-of-things-report?IR=T, Date of last access: 5th October, 2021.

- [16] O. Elijah, T. A. Rahman, I. Orikumhi, C. Y. Leow, and M. N. Hindia, "An overview of internet of things (iot) and data analytics in agriculture: Benefits and challenges," IEEE Internet of Things Journal, vol. 5, no. 5, pp. 3758–3773, Oct 2018.
- [17] P. P. Ray, "A survey of iot cloud platforms," Future Computing and Informatics Journal, vol. 1, no. 1, pp. 35 – 46, 2016. [Online]. Available: http://www.sciencedirect.com/science/article/pii/S2314728816300149
- [18] Postscapes Tech website, Available on-line: https://www.postscapes.com/internet-of-things-platforms/, Date of last access: 5th October, 2021.
- [19] J. Koo and Y.-G. Kim, "Interoperability of device identification in heterogeneous iot platforms," in 2017 13th International Computer Engineering Conference (ICENCO). IEEE, 2017, pp. 26–29.
- [20] "EP and the CEU: Regulation (EU) 2016/679 GDPR," Available on-line: http://data.europa.eu/eli/reg/2016/679/oj, Date of last access: 5th October, 2021.
- [21] V. Venkatesh, M. G. Morris, G. B. Davis, and F. D. Davis, "User acceptance of information technology: Toward a unified view," MIS Quarterly, vol. 27, no. 3, pp. 425–478, 2003. [Online]. Available: http://www.jstor.org/stable/30036540
- [22] R. Holden and B.-T. Karsh, "The technology acceptance model: Its past and its future in health care," Journal of biomedical informatics, vol. 43, pp. 159–172, 2010.
- [23] R. Scherer, F. Siddiq, and J. Tondeur, "The technology acceptance model (tam): A meta-analytic structural equation modeling approach to explaining teachers' adoption of digital technology in education," Computers & Education, vol. 128, pp. 13 – 35, 2019. [Online]. Available: http://www.sciencedirect.com/science/article/pii/S0360131518302458
- [24] S. Kim, K.-H. Lee, H. Hwang, and S. Yoo, "Analysis of the factors influencing healthcare professionals' adoption of mobile electronic medical record (emr) using the unified theory of acceptance and use of technology (utaut) in a tertiary hospital," BMC Medical Informatics and Decision Making, vol. 16, no. 1, p. 12, Jan 2016. [Online]. Available: https://doi.org/10.1186/s12911-016-0249-8
- [25] S. S. Al-Gahtani, "Original article," Applied Computing and Informatics, vol. 9, no. 1, pp. 47–77, 2011.
- [26] S. A. Salloum, A. Qasim Mohammad Alhamad, M. Al-Emran, A. Abdel Monem, and K. Shaalan, "Exploring students' acceptance of e-learning through the development of a comprehensive technology acceptance model," IEEE Access, vol. 7, pp. 128 445–128 462, 2019.
- [27] M. A. Almaiah, M. M. Alamri, and W. Al-Rahmi, "Applying the utaut model to explain the students' acceptance of mobile learning system in higher education," IEEE Access, vol. 7, pp. 174 673–174 686, 2019.
- [28] G. A. Alkawsi, N. Ali, and Y. Baashar, "An empirical study of the acceptance of iot-based smart meter in malaysia: The effect of electricitysaving knowledge and environmental awareness," IEEE Access, vol. 8, pp. 42 794–42 804, 2020.
- [29] S. Kar, A. K. Kar, and M. P. Gupta, "Industrial internet of things and emerging digital technologies-modeling professionals' learning behavior," IEEE Access, vol. 9, pp. 30017–30034, 2021.
- [30] M. Tawfik, E. Sancristobal, S. Martin, G. Diaz, and M. Castro, "Stateof-the-art remote laboratories for industrial electronics applications," in Technologies Applied to Electronics Teaching (TAEE), 2012. Vigo, Spain: IEEE, June 2012, pp. 359–364.
- [31] B. Shankar, M. Sarithlal, V. Vijayan, J. Freeman, and K. Achuthan, "Remote triggered solar thermal energy parabolic trough laboratory: Effective implementation and future possibilities for virtual labs," in Control Applications (CCA), 2013 IEEE International Conference on. Hyderabad, India: IEEE, Aug 2013, pp. 472–476.
- [32] P. Rao, P. Dinesh, G. Ilango, and C. Nagamani, "Laboratory course on solar photovoltaic systems based on low cost equipment," in MOOC Innovation and Technology in Education (MITE), 2013 IEEE International Conference in. Jaipur, India: IEEE, Dec 2013, pp. 146–151.
- [33] L. Tobarra, S. Ros, R. Hernández, R. Pastor, A. Robles-Gómez, A. C. Caminero, and M. Castro, "Low-cost remote laboratories for renewable energy in distance education," in 2014 11th International Conference on Remote Engineering and Virtual Instrumentation (REV). Porto, Portugal: IEEE, 2014, pp. 106–111.
- [34] R. Pastor, L. Tobarra, A. Robles-Gómez, J. Cano, B. Hammad, A. Al-Zoubi, R. Hernández, and M. Castro, "Renewable energy remote online laboratories in jordan universities: Tools for training students in jordan,"

Renewable Energy, vol. 149, pp. 749 – 759, 2020. [Online]. Available: http://www.sciencedirect.com/science/article/pii/S096014811931972X

- [35] A. Robles-Gómez, L. Tobarra, R. Pastor-Vargas, R. Hernández, and J. Cano, "Emulating and evaluating virtual remote laboratories for cybersecurity," Sensors, vol. 20, no. 11, pp. 1–22, 2020. [Online]. Available: https://www.mdpi.com/1424-8220/20/11/3011
- [36] J. H. Sianipar, C. Willems, and C. Meinel, "Virtual machine integration & fault recovery in crowd-resourcing virtual laboratory," in Proceedings of the 2019 7th International Conference on Computer and Communications Management, ser. ICCCM 2019. New York, NY, USA: Association for Computing Machinery, 2019, p. 224–230. [Online]. Available: https://doi.org/10.1145/3348445.3348467
- [37] A. Huertas Celdrán, F. Garcia, J. Saenz, L. De La Torre, C. Salzmann, and D. Gillet, "Self-organized laboratories for smart campus," IEEE Transactions on Learning Technologies, pp. 1–1, 2019.
- [38] L. M. Vaquero, "Educloud: Paas versus iaas cloud usage for an advanced computer science course," IEEE Transactions on Education, vol. 54, no. 4, pp. 590–598, Nov 2011.
- [39] L. Xu, D. Huang, and W. Tsai, "Cloud-based virtual laboratory for network security education," IEEE Transactions on Education, vol. 57, no. 3, pp. 145–150, Aug 2014.
- [40] R. Pastor, M. Romero, L. Tobarra, J. Cano, and R. Hernández, "Teaching cloud computing using web of things devices," in 2018 IEEE Global Engineering Education Conference, EDUCON 2018, Santa Cruz de Tenerife, Tenerife, Islas Canarias, Spain, April 17-20, 2018, 2018, pp. 1738–1745. [Online]. Available: https://doi.org/10.1109/EDUCON.2018.8363444
- [41] L. Tobarra, A. Robles-Gómez, R. Pastor, R. Hernández, J. Cano, and D. López, "Web of things platforms for distance learning scenarios in computer science disciplines: A practical approach," Technologies, vol. 7, no. 1, pp. 1–20, 2019. [Online]. Available: https://www.mdpi.com/2227-7080/7/1/17
- [42] R. Pastor-Vargas, L. Tobarra, A. Robles-Gómez, S. Martin, R. Hernández, and J. Cano, "A wot platform for supporting full-cycle iot solutions from edge to cloud infrastructures: A practical case," Sensors, vol. 20, no. 13, pp. 1–22, 2020. [Online]. Available: https://www.mdpi.com/1424-8220/20/13/3770
- [43] H. Rafique, A. O. Almagrabi, A. Shamim, F. Anwar, and A. K. Bashir, "Investigating the acceptance of mobile library applications with an extended technology acceptance model (tam)," Computers & Education, vol. 145, p. 103732, 2020. [Online]. Available: http://www.sciencedirect.com/science/article/pii/S0360131519302854
- [44] F. Petersen, "Students' attitude towards using a mobile learning management system: A large, undergraduate information systems class," in 2020 Conference on Information Communications Technology and Society (ICTAS), March 2020, pp. 1–6.
- [45] F. A. J. Almahri, D. Bell, and M. Merhi, "Understanding student acceptance and use of chatbots in the united kingdom universities: A structural equation modelling approach," in 2020 6th International Conference on Information Management (ICIM), March 2020, pp. 284–288.
- [46] P. Priyadarshinee, R. D. Raut, M. K. Jha, and B. B. Gardas, "Understanding and predicting the determinants of cloud computing adoption: A two staged hybrid sem - neural networks approach," Computers in Human Behavior, vol. 76, pp. 341–362, 2017. [Online]. Available: https://www.sciencedirect.com/science/article/pii/S0747563217304491
- [47] P. Priyadarshinee, R. D. Raut, M. K. Jha, and S. S. Kamble, "A cloud computing adoption in indian smes: Scale development and validation approach," The Journal of High Technology Management Research, vol. 28, no. 2, pp. 221–245, 2017. [Online]. Available: https://www.sciencedirect.com/science/article/pii/S1047831017300536
- [48] P. Priyadarshinee, "Examining Critical Success Factors of Cloud Computing Adoption: Integrating AHP-Structural Mediation Model," International Journal of Decision Support System Technology (IJDSST), vol. 12, no. 2, pp. 80–96, April 2020. [Online]. Available: https://ideas.repec.org/a/igg/jdsst0/v12y2020i2p80-96.html
- [49] F. D. Davis, "Perceived usefulness, perceived ease of use, and user acceptance of information technology," MIS Q., vol. 13, no. 3, pp. 319–340, September 1989. [Online]. Available: http://dx.doi.org/10.2307/249008
- [50] J. Cruz-Benito, J. C. Sánchez-Prieto, R. Therón, and F. J. García-Peñalvo, "Measuring students' acceptance to ai-driven assessment in elearning: Proposing a first tam-based research model," in Learning and Collaboration Technologies. Designing Learning Experiences, P. Zaphiris and

A. Ioannou, Eds. Cham: Springer International Publishing, 2019, pp. 15–25.

- [51] R. Estriegana, J.-A. Medina-Merodio, and R. Barchino, "Student acceptance of virtual laboratory and practical work: An extension of the technology acceptance model," Computers & Education, vol. 135, pp. 1 – 14, 2019. [Online]. Available: http://www.sciencedirect.com/science/article/pii/S0360131519300399
- [52] R. Servidio and M. Cronin, "Perle: An "open source", elearning moodlebased, platform. a study of university undergraduates' acceptance," Behavioral Sciences, vol. 8, no. 7, 2018. [Online]. Available: https://www.mdpi.com/2076-328X/8/7/63
- [53] Q. Al-Maatouk, M. S. Othman, A. Aldraiweesh, U. Alturki, W. M. Al-Rahmi, and A. A. Aljeraiwi, "Task-technology fit and technology acceptance model application to structure and evaluate the adoption of social media in academia," IEEE Access, vol. 8, pp. 78 427–78 440, 2020.
- [54] D. L. Goodhue and R. L. Thompson, "Task-technology fit and individual performance," MIS Quarterly, vol. 19, no. 2, pp. 213–236, 1995. [Online]. Available: http://www.jstor.org/stable/249689
- [55] H. Taherdoost, "A review of technology acceptance and adoption models and theories," Procedia Manufacturing, vol. 22, pp. 960 – 967, 2018, 11th International Conference Interdisciplinarity in Engineering, INTER-ENG 2017, 5-6 October 2017, Tirgu Mures, Romania. [Online]. Available: http://www.sciencedirect.com/science/article/pii/S2351978918304335
- [56] S. H. Halili and H. Sulaiman, "Factors influencing the rural students' acceptance of using ict for educational purposes," Kasetsart Journal of Social Sciences, 2018. [Online]. Available: http://www.sciencedirect.com/science/article/pii/S245231511730139X
- [57] L. Tobarra, A. Robles-Gómez, R. Pastor, R. Hernández, A. Duque, and J. Cano, "Students' acceptance and tracking of a new container-based virtual laboratory," Applied Sciences, vol. 10, no. 3, pp. 1–25, 2020. [Online]. Available: https://www.mdpi.com/2076-3417/10/3/1091
- [58] L. Tobarra, A. Robles-Gómez, R. Pastor-Vargas, R. Hernández, and J. M. Haut, "Studying the students' learning in lot@uned," in 2021 IEEE Global Engineering Education Conference, EDUCON 2021, Vienna, Austria, April 21-23, 2021, 2021, pp. 1488–1492.
- [59] Watson IBM IoT website, Available on-line: https://www.ibm.com/cloud/watson-iot-platform, Date of last access: 5th October, 2021.
- [60] J. Clayer, C. Toffolon, and C. Choquet, "Patterns, pedagogical design schemes and process for instructional design," in 2013 IEEE 13th International Conference on Advanced Learning Technologies, 2013, pp. 304– 306.
- [61] J. Hair, M. Sarstedt, C. Ringle, and J. Mena, "An assessment of the use of partial least squares structural equation modeling in marketing research," Journal of the Academy of Marketing Science, vol. 40, p. 414–433, 03 2012.
- [62] W. T. Bielby and R. M. Hauser, "Structural equation models," Annual Review of Sociology, vol. 3, no. 1, pp. 137–161, 1977. [Online]. Available: https://doi.org/10.1146/annurev.so.03.080177.001033
- [63] I.-F. Liu, M. C. Chen, Y. S. Sun, D. Wible, and C.-H. Kuo, "Extending the tam model to explore the factors that affect intention to use an online learning community," Computers & Education, vol. 54, no. 2, pp. 600 – 610, 2010. [Online]. Available: http://www.sciencedirect.com/science/article/pii/S0360131509002498
- [64] R. Pastor, D. Lopez, L. Tobarra, A. Robles-Gómez, and R. Hernández, "Lot@uned lab manager portal," Available on-line: https://lot-atuned.mybluemix.net/, SCC, Date of last access: 5th October, 2021.
- [65] "Docker website," Available on-line: https://www.docker.com/, Date of last access: 5th October, 2021.
- [66] E. Irvine, Cynthia, F. Thompson, Michael, and J. Khosalim, "Labtainers: a framework for parameterized cybersecurity labs using containers," 2017. [Online]. Available: https://calhoun.nps.edu/handle/10945/56211
- [67] "Kubernetes website," Available on-line: https://kubernetes.io/, Date of last access: 5th October, 2021.
- [68] "Bitscope website," Available on-line: https://www.bitscope.com/product/blade/, Date of last access: 5th October, 2021.
- [69] L. Tobarra, A. P. Trapero, R. Pastor, A. Robles-Gómez, R. Hernández, A. Duque, and J. Cano, "Game-based learning approach to cybersecurity," in 2020 IEEE Global Engineering Education Conference (EDUCON), 2020, pp. 1125–1132.
- [70] R. P. Bagozzi, Y. Yi, and K. D. Nassen, "Representation of measurement error in marketing variables: Review of approaches and extension to three-facet designs," Journal of Econometrics,

vol. 89, no. 1-2, pp. 393–421, November 1998. [Online]. Available: https://ideas.repec.org/a/eee/econom/v89y1998i1-2p393-421.html

- [71] J. Gaskin, S. Godfrey, and A. Vance, "Successful system use: It's not just who you are, but what you do," AIS Trans. Hum. Comput. Interact., vol. 10, p. 1, 2018.
- [72] J. Henseler, C. Ringle, and M. Sarstedt, "A new criterion for assessing discriminant validity in variance-based structural equation modeling," Journal of the Academy of Marketing Science, vol. 43, no. 1, pp. 115– 135, 2015, open access.
- [73] C. Fornell and D. F. Larcker, "Evaluating structural equation models with unobservable variables and measurement error," Journal of Marketing Research, vol. 18, no. 1, pp. 39–50, 1981. [Online]. Available: http://www.jstor.org/stable/3151312
- [74] E. W. Ngai, S. S. Tao, and K. K. Moon, "Social media research: Theories, constructs, and conceptual frameworks," International Journal of Information Management, vol. 35, no. 1, pp. 33 – 44, 2015. [Online]. Available: http://www.sciencedirect.com/science/article/pii/S026840121400098X
- [75] J. A. M. León, G. T. Cantisano, and J.-P. L. Mangin, "Leadership in nonprofit organizations of nicaragua and el salvador: A study from the social identity theory," The Spanish journal of psychology, vol. 12, no. 2, p. 667–676, 2009.
- [76] B. M. Byrne, Structural Equation Modeling with AMOS: Basic Concepts, Applications, and Programming, Third Edition (Multivariate Applications Series). routledge, 2016.

IEEE Access



ANTONIO ROBLES-GÓMEZ (M'10–SM'15) was born in Albacete, Spain, in 1980. He received the M.Sc. and Ph.D. degrees in computer science engineering from the University of Castilla-La Mancha in 2004 and 2008, respectively. He is an associate professor at the control and communication systems department at UNED. He is currently Vice-Dean of Technology, Infrastructures and Economic at the computer science engineering faculty, as well as Coordinator of the official

master in computer science engineering. He has participated in a big number of projects financed in public calls, some of them with special relevance for companies and administrations with an international scope, international journals and conferences. He teaches graduate and post-graduate courses related to the network interconnection and security domains, among others. His research interests include quality of service support in distributed systems, and the development of infrastructure and algorithms for e-learning and cybersecurity. He is a senior member of IEEE, and, currently, the secretary of the IEEE Spain Section Board.



ROBERTO HERNÁNDEZ (M'00–SM'07) received an MSc in physics, specializing in electronics, from Complutense University in Madrid and a PhD in sciences from UNED. He is a full professor in the Control and Communication Systems Department at UNED, the director of this department, and the coordinator of the official master in cybersecurity. He has been the dean of the computer science engineering faculty from 2005 to 2013. He has participated in a big number of projects

financed in public calls, some of them with special relevance for companies and administrations with an international scope, international journals and conferences. He teaches graduate and post-graduate courses related to the network interconnection and security domains, among others. His research interests include e-government, quality of service support in distributed systems, and development of infrastructures for e-learning, software quality, and architecture systems engineering. He is a senior member of IEEE.



LLANOS TOBARRA (M'12–SM'20) was born in Albacete, Spain, in 1981. She received the M.Sc. and Ph.D. degrees in computer science from the University of Castilla-La Mancha in 2004 and 2009, respectively. She is an associate professor at the control and communication systems department at UNED. She is currently the deputy vicerector for production of digital resources and the secretary of the official master in cybersecurity. She has participated in a big number of projects

financed in public calls, some of them with special relevance for companies and administrations with an international scope, international journals and conferences. She teaches graduate and post-graduate courses related to the network interconnection and security domains, among others. Her research interests include formal methods and forensic analysis in distributed systems, and the development of infrastructure and algorithms for e-learning and cybersecurity. She is a senior member of IEEE.



RAFAEL PASTOR-VARGAS (M'06–SM'20) received the M.Sc. degree in physics from Complutense University, Madrid, Spain, in 1994, and the Ph.D. degree in computer science from the UNED, Madrid, in 2006. He is an associate professor at the control and communication systems department at UNED. He is currently Dean at the computer science engineering faculty. He was an innovation manager with the innovation and development centre, UNED, from 2004 to 2009, for incrementation to UNED.

and the general manager for incorporating innovative services to UNED's learning model from 2009 to 2011. He is currently an associate professor with the control and communication systems department, UNED. He has participated in a big number of projects financed in public calls, some of them with special relevance for companies and administrations with an international scope, international journals and conferences. He teaches graduate and post-graduate courses related to the network interconnection and security domains, among others. His research interests include quality of service support in distributed systems, applied machine learning algorithms, and the development of infrastructure and algorithms for e-learning and cybersecurity. He is a senior member of the IEEE.



JUAN M. HAUT (M'15–SM'19) is a professor with the Department of Computers and Communications at the University of Extremadura, Caceres, Spain. Also, he is a member of the Hyperspectral Computing Laboratory (HyperComp) at the Department of Technology of Computers and Communications, University of Extremadura, where he received the B.Sc and M.Sc. degrees in computer engineering in 2011 and 2014, respectively, and the Ph.D. degree in Information Technology in

2019 supported by an University Teacher Training Programme from the Spanish Ministry of Education. Dr. Haut was a recipient of the Outstanding Ph.D. Award at the University of Extremadura in 2019. His research interests include remote sensing data processing and high dimensional data analysis, applying machine (deep) learning and cloud computing approaches. In this sense, he has authored/co-authored more than 40 JCR journal articles (more than 30 in IEEE journals) and more than 30 peer-reviewed conference proceeding papers. Some of his contributions have been recognized as hottopic publications for their impact on the scientific community. Also, he was a recipient of the Outstanding Paper Award in the 2019 and 2021 IEEE WHISPERS conferences. From his experience as a reviewer, it is worth mentioning his active collaboration in more than 10 scientific journals, such as the IEEE Transactions on Geoscience and Remote Sensing, IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, and IEEE Geoscience and Remote Sensing Letters, and he has been awarded with the Best Reviewer recognition of the IEEE Geoscience and Remote Sensing Letters and IEEE Transactions on Geoscience and Remote Sensing in 2018 and 2020 respectively. Furthermore, he has guest-edited three special issues on hyperspectral remote sensing for different journals. He is also an Associate Editor of the IEEE Transactions on Geoscience and Remote Sensing, IEEE Gesocience and Remote Sensing Letters and IEEE Journal on Miniaturization for Air and Space Systems.

...